

**JD 1770 FRONT FOLD PLANTER (12 Row to 24 Row )**  
**JD 7200 FLEX FOLD PLANTER (8 Row Wide to 24 Row Narrow)**  
**JD 7200 RIGID FOLD PLANTER (12 Row Narrow)**

Model No.'s to Order for each planter configuration		Quantity to order for each planter			
		8 R W	12 R N	16 R N	24 R N
<b>LIQUID FERT. COULTERS ONLY</b>	2995-014 and 2995-015 T.O.W. opener (no bar kit required)				
	2995-008-R (7" x 7") ^	4	6		
	2995-009-R (3" x 7") ^	4	6		
	2995-005-L and 2995-005-R ^			8 and 8	12 and 12
	2975-128 (front bar kit)			1	
	2995-128 (front bar mtg kit 7200 FF 24R)				1
<b>DRY FERT. COULTERS ONLY</b>	2995-028-R (7" x 7") ^	4	6	N.A.	N.A.
	2995-030-R (2.5 " sq) ^	4	6	N.A.	N.A.
	2990-167 (front fold kit 12 row) Required		1	N.A.	N.A.
	2990-177 (front fold kit 8 row) Required	1		N.A.	N.A.
<b>Unit Mounted Liquid Fertilizer Coulters</b>	2959-003 (2" offset fert. injection)	8	12	16	24
	2967-180 (Residue Manager for 2959-003)				
	or 2961-012 Cut-n-Feed				
	or 2962-001 and 2962-002 RUMDDFO				
	or 2963-001 L & R Challenger				
<b>2960 UNIT MOUNTED CONSERVATION COULTERS ONLY</b>	2960-032 Universal unit coulters, JD MEII/+XP				
	or 2960-034 Coulters w/ U.N.T. bracket (JD-1700)				
	or 2960-015 (with spring kit)**	8	12	16	24
	or 2960-127 (coulters only)** Choice of blade				
	2960-126 (spring kit only)				
<b>CLEAN UP CREW ONLY</b>	2965-015 (12" solid blade)				
	or 2965-020 (13" Notched blade)				
	or 2965-022 Screw Adjust Trashmaster				
	or 2967-009 Screw Adjust Short UNT for long arms				
	or 2967-015 (13" steel wheel)				
	or 2967-028 Universal unit mounted residue manager	8	12	16	24
	or 2967-029 Short U.N.T.				
	or 2967-045 Narrow row residue manager				
	or 2967-048 Narrow row unit mounted Residue Manager				
	or 2967-049 Screw Adjust Short UNT				
	or 2967-052 Screw Adjust				
	or 2967-054 Narrow row Screw Adjust				
	or 2967-056 Narrow row Screw Adjust (Long arm)				
	or 2967-057 Screw Adjust (Long arm)				
	or 2967-081 (R.M. attachment for JD tool hanger)				
or 2967-092 L & R Notched disc, for JD tool hanger					
or 2967-093 L & R Notched disc screw adjust, 7200 and newer					
or 2967-094 L & R Notched disc, universal mount					
<b>Combo Attachment</b>	2961-010 Cut-n-Move				
	or 2967-007 U.N.T. Residue Manager kit				
	or 2967-035 Titan Universal				
	or 2967-042 Titan Residue Manager for JD coulters	8	12	16	24
	or 2967-051 (for use with JD 5 bolt unit coulters) 04 to present				
	or 2967-115 (for use with 2960-015 coulters)				
	2967-070 (Quick adjust) Optional				
	or 2967-150 (for use with JD 5 bolt unit coulters) prior to '04				
<b>LIQUID INJECTION SYSTEM for use with combination units</b>	2968-002 (for use with 7200 planter/115 combo)\$				
	or 2968-006 (for use with 7200 coulters/150 combo)\$	8	12	16	24
	or 2968-008 (for use with 7200 planter w/ Residue Manager)\$				
	or 2967-019 (for use with JD '04 coulters w/ 2967-051)				
<b>FRAME MOUNTED COULTERS ONLY</b>	2999-109 (basic coulters ass'y 3x7)** Choice of blade	4	6	N.A.	N.A.
	2999-108 (basic coulters ass'y 7x7)** Choice of blade	4	6	N.A.	N.A.

\*\* See the price book for blade choices.

^ Fertilizer placements available are : L & R = left & right standard rear knife, LS & RS = left & right side profile knife

LIHD & RIHD = left & right hand injection (tips not included). See glossary for illustrations.

\$ See price book for one fertilizer wheel option for 2968

**JD 1770 FRONT FOLD PLANTER (12 Row to 24 Row )**  
**JD 7200 FLEX FOLD PLANTER (8 Row Wide - 24 Row Narrow)**  
**JD 7200 RIGID FOLD PLANTER (12 Row Narrow)**

Combination of Coulters		Quantity to order for each planter				
		8 R W	12 R N	16 R N	24 R N	
<i>Model No.'s to Order for each planter configuration</i>						
<b>DOUBLE COULTERS</b>						
<b>2 LIQUID FERT. COULTERS ONLY</b>	2995-035-L (3" offset) ^		8	12	N.A.	N.A.
	2995-035-R (3" offset) ^		8	12	N.A.	N.A.
	2975-172 (mounting kit, 12 row only)***	Required		1	N.A.	N.A.
	2990-167 (front fold kit 12 row only)	Required		1	N.A.	N.A.
	2990-177 (front fold kit 8 row only)	Required	1		N.A.	N.A.
	2990-176 (reinforcing bracket)	Required	2	4	N.A.	N.A.
<b>1 DRY / 1 LIQUID FERT. COULTERS ONLY</b>	2995-025-L (Dry Fert., 3" offset) ^		8	12	N.A.	N.A.
	2995-035-L (Liquid Fert., 3" offset) ^		8	12	N.A.	N.A.
	2975-172 (mounting kit)***	Required		1	N.A.	N.A.
	2990-167 (front fold kit 12 row only)	Required		1	N.A.	N.A.
	2990-177 (front fold kit 8 row only)	Required	1		N.A.	N.A.
	2990-176 (reinforcing bracket)	Required	2	4	N.A.	N.A.
<b>1 NO-TILL / 1 FERT. COULTER ONLY</b>	2999-135 (basic coulters 2.5" sq, 3" offset)**	Choice of blade	8	12	N.A.	N.A.
	2995-025-L (Dry Fert., 3" offset) ^	Choose	8 or	12 or	N.A.	N.A.
	or 2995-035-L (Liquid Fert., 3" offset) ^	either model	8	12	N.A.	N.A.
	2975-172 (mounting kit)***	Required		1	N.A.	N.A.
	2990-167 (front fold kit 12 row only)	Required		1	N.A.	N.A.
	2990-177 (front fold kit 8 row only)	Required	1		N.A.	N.A.
	2990-176 (reinforcing bracket)	Required	2	4	N.A.	N.A.
<b>2 NO-TILL COULTER ONLY</b>	2999-135 (basic coulters 2.5" sq, 3" offset)**	Choice of blade	16	24	N.A.	N.A.
	2975-172 (mounting kit)***	Required		1	N.A.	N.A.
	2990-167 (front fold kit 12 row only)	Required		1	N.A.	N.A.
	2990-177 (front fold kit 8 row only)	Required	1		N.A.	N.A.
	2990-176 (reinforcing bracket)	Required	2	4	N.A.	N.A.

\*\* See the price book for blade choices.

\*\*\* This kit may be replaced by welding a short piece of a 2 1/2" sq. bar under the tongue along with 2975-175 (8 row) or 2975-176 (12 row) will be required - however Yetter is not responsible for any damage caused by doing so.

\*\*\*\* The Clean Up Crew and Unit Mounted Coulters cannot be used together, with the exception of the 2967-115, if using the 2967-115 combination in conjunction with Frame Mounted Fertilizer Coulters, Fertilizer Coulters can only be mounted 4" or farther from the row.

^ Fertilizer placements available are : L & R = left & right standard rear knife, LS & RS = left & right side profile knife  
 LIHD & RIHD = left & right hand injection (tips not included). See glossary for illustrations.

**JD 1770 FRONT FOLD PLANTER (12 Row to 24 Row )**  
**JD 7200 FLEX FOLD PLANTER (8 Row Wide - 24 Row Narrow)**  
**JD 7200 RIGID FOLD PLANTER (12 Row Narrow)**

Combination of Coulters		Quantity to order for each planter				
		8 R W	12 R N	16 R N	24 R N	
<i>Model No.'s to Order for each planter configuration</i>						
<b>1 LIQUID FERTILIZER AND COMBO UNIT ONLY</b>	2995-008-R (7" x 7") ^	4	6			
	2995-009-R (3" x 7") ^	4	6			
	2995-005-L and 2995-005-R ^			8 and 8	12 and 12	
	2975-128 (front bar kit)			1		
	2995-128 (front bar mounting kit 7200 FF 24 R				1	
	2975-189 (set back)	Required	8	12	16	24
	2960-015 (coulters with spring kit)**	See below				
	or 2960-034 Coulters w/ U.N.T. bracket (JD-1700)		8	12	16	24
	or 2960-127 (coulters only)**					
	2967-007 U.N.T. Residue Manager kit					
	or 2967-035 Titan Universal					
	or 2967-042 Titan Residue Manager for JD coulters		8	12	16	24
	or 2967-051 (for use with JD 5 bolt unit coulters) 04 to present					
or 2967-115 (for use with 2960-015)						
or 2967-150 (for use with JD 5 bolt unit coulters) prior to '04						
2960-034 Coulters w/ U.N.T. bracket (JD-1700)	See below					
or 2960-015 (coulters with spring)**						
or 2960-127 (coulters only)**		8	12	16	24	
<b>1 JD LIQUID FERTILIZER AND COMBO UNIT ONLY</b>	2967-007 U.N.T. Residue Manager kit					
	or 2967-035 Titan Universal					
	or 2967-042 Titan Residue Manager for JD coulters					
	or 2967-051 (for use with JD 5 bolt unit coulters) 04 to present		8	12	16	24
	or 2967-115 (for use with 2960-015)****					
	2967-070 (Quick adjust)					
or 2967-150 (for use with JD 5 bolt unit coulters) prior to '04						
2975-189 (set back)	Required	8	12	16	24	

\*\* See the price book for blade choices.

\*\*\* This kit may be replaced by welding a short piece of a 2 1/2" sq. bar under the tongue along with 2975-175 (8 row) or 2975-176 (12 row) will be required - however Yetter is not responsible for any damage caused by doing so.

\*\*\*\* The Clean Up Crew and Unit Mounted Coulters cannot be used together, with the exception of the 2967-115, if using the 2967-115 combination in conjunction with Frame Mounted Fertilizer Coulters, Fertilizer Coulters can only be mounted 4" or farther from the row.

^ Fertilizer placements available are : L & R = left & right standard rear knife, LS & RS = left & right side profile knife

LIHD & RIHD = left & right hand injection (tips not included). See glossary for illustrations.