

# JD 1750 STANDARD PLANTER

## JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER

### JD 7200 STANDARD PLANTER

Equipped with John Deere 2.5" fert. bar and no other options.

Model No.'s to Order for each planter configuration			Quantity to order for each planter						
			4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
<b>LIQUID FERT. COULTERS ONLY</b>	2995-014 and 2995-015 TOW (no bar kit required)	Choose either model	2 & 2	2 & 2	3 & 3	3 & 3	4 & 4	4 & 4	6 & 6
	or 2995-010-L and 2995-010-R ^	Choose to fit planter frame	2	2	2	2	4	4	4
	6005-104 (reinforcing bracket for 7 x 7 frame)	Optional	4	4	6	6	8	8	12
	6005-105 (reinforcing bracket for 5 x 7 frame)								
<b>DRY FERT. COULTERS ONLY</b>	2995-030-L and 2995-030-R^	Choose either model	2 & 2	2 & 2	3 & 3	3 & 3	4 & 4	4 & 4	6 & 6
	2970-135 (76" front bar mount kit)	Required	1	1	1	1	2	2	
	2970-136 (100" front bar mount kit)	Required				1	1		
<b>Unit Mounted Liquid Fertilizer Coulters</b>	2959-003 (2" offset fert. injection)								
	2967-180 Residue Manager for 2959-003								
	2961-012 Cut-n-Feed (*Refer to price book for blade choices)		4	4	6	6	8	8	12
	2962-001 and 2962-002 RUMDDFO								
<b>2960 UNIT MOUNTED CONSERVATION COULTERS ONLY</b>	2963-001 L & R Challenger								
	2960-015 (with spring kit)*								
	2960-031 Unit coulters (JD 7000)								
	2960-032 Unit coulters (JD 7200 and newer)								
	2960-033 Coulters w/ U.N.T. bracket (JD 7000)		4	4	6	6	8	8	12
	2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer)								
<b>CLEAN UP CREW ONLY</b>	2960-127 (coulters only)*								
	2960-126 (spring kit only)								
	2965-015 (12" solid blade)								
	or 2965-020 (13" notched blade)								
	or 2965-022 Screw adjust trashmaster (JD 7200 and newer)								
	or 2967-009 Screw adjust / Short UNT (long arm/7000)								
	or 2967-013 Short Narrow U.N.T.								
	or 2967-015 (13" Steel wheel)								
	or 2967-028 Universal unit mounted residue manager								
	or 2967-029 Short U.N.T.								
	or 2967-048 Narrow row unit mounted Residue Manager		4	4	6	6	8	8	12
	or 2967-049 Screw Adjust Short UNT (7200 & newer)								
	or 2967-052 Screw adjust residue manager (JD 7200 and newer)								
	or 2967-054 Narrow row screw adjust R. M. (JD 7200 and newer)								
	or 2967-056 Screw adjust residue manager (JD 7000)								
	or 2967-057 Narrow row screw adjust residue manager (JD 7000)								
	or 2967-081 R.M. attachment for JD tool hanger (7200 & newer)								
or 2967-092 L & R Notched disc, for JD tool hanger (7200 & newer)									
or 2967-093 L & R Notched disc screw adjust (7200 and newer)									
or 2967-094 L & R Notched disc, universal mount									
<b>Combo</b>	2961-010 Cut-n-Move								
	2967-007 U.N.T. residue manager kit								
	or 2967-035 Titan universal								
	or 2967-042 Titan Residue Manager for JD Coulters (7200 & newer)								
<b>Attachment</b>	or 2967-043 Titan Screw adjust residue manager for JD Coulters (7200 and newer)		4	4	6	6	8	8	12
	or 2967-051 R.M. for use with JD Coulters (7200 & newer)								
	or 2967-115 R.M. for use with 2960-015 coulters								
	2967-070 (Quick adjust kit)	Optional							

\* Blade Choices refer to price book.

^ Fertilizer placements available: L & R- left & right standard rear knife, LS & RS=left & right side profile knife. LIHD & RIHD=left & right hand injection (tips not included). See Glossary for illustrations.

# JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER JD 1750 & 7200 STANDARD PLANTER

Equipped with John Deere 2.5" fert. bar

Equipped with John Deere 2.5" fert. bar and no other options.

Model No.'s to Order for each planter configuration

			Quantity to order for each planter						
			4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
<b>FRAME MOUNTED COULTERS ONLY</b> for 2.5" fert. bar	2999-106 (basic coulters ass'y 2.5" sq)**	Choice of blade	4	4	6	6	N.A.	8	N.A.
	6005-104 (reinforcing bracket for 7 x 7 frame)	Choose to fit planter frame	2	2	2	4	N.A.	4	N.A.
	6005-105 (reinforcing bracket for 5 x 7 frame)								
<b>Double Coulters</b>									
<b>2 LIQUID FERTILIZER COULTERS</b>	2995-010-L and 2995-010-R ^		4 and 4	4 and 4	6 and 6	6 and 6	N.A.	8 and 8	N.A.
	3011-302 (5" offset shank)****	Required****				2	N.A.	2	N.A.
	2970-135 (76" front bar mount kit)	Required	1	1	1		N.A.	2	N.A.
	2970-136 (100" front bar mount kit)	Required				1	N.A.		N.A.
<b>1 DRY/ 1 LIQUID FERTILIZER COULTERS</b>	2995-030-L^		4	4	6	6	N.A.	2	N.A.
	2995-010-R^		4	4	6	6	N.A.	8	N.A.
	3011-302 (5" offset shank)****	Required****				2	N.A.	2	N.A.
	2970-135 (76" front bar mount kit)	Required	1	1	1		N.A.	2	N.A.
<b>1 FRAME MOUNTED NO-TILL COULTER AND 1 FERTILIZER COULTER</b>	2999-106 (basic coulters ass'y 2.5 sq)**	Choice of blade	4	4	6	4	N.A.	6	N.A.
	2999-143 (basic coulters 2.5"sq 5" offset)**	Choice of blade				2	N.A.	2	N.A.
	2995-030-L****^		4	4	6	6	N.A.	8	N.A.
	2995-010-L****^								
<b>2 FRAME MOUNTED NO-TILL COULTERS</b>	2970-135 (76" front bar mount kit)	Required	1	1	1		N.A.	2	N.A.
	2970-136 (100" front bar mount kit)	Required				1	N.A.		N.A.
	2999-106 (basic coulters ass'y 2.5 sq)**	Choice of blade	8	8	12	10	N.A.	14	N.A.
	2999-143 (basic coulters 2.5"sq 5" offset)**	Choice of blade				2	N.A.	2	N.A.
<b>1 PLANTER UNIT MOUNTED COULTER AND 1 LIQUID/DRY FERT.</b>	2970-135 (76" front bar mount kit)	Required	1	1	1		N.A.	2	N.A.
	2970-136 (100" front bar mount kit)	Required				1	N.A.		N.A.
	2960-015 (coulters with spring)** or 2960-031 Unit coulters (JD 7000) or 2960-032 Unit coulters (JD 7200 and newer) or 2960-033 Coulters w/ U.N.T. bracket (JD 7000) or 2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer)		4	4	6	6	8	8	12
	2995-010-L and 2995-010-R Liquid^		2 and 2	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
<b>1 COMBO UNIT MOUNTED AND 1 LIQUID FERT.</b>	2995-030-L and 2995-030-R Dry^		2 and 2	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
	2970-135 (76" front bar mount kit)	Required	1	1	1		N.A.	2	2
	2970-136 (100" front bar mount kit)	Required for dry fert				1	1		
	2960-015 (coulters with spring)** or 2960-033 Coulters w/ U.N.T. bracket (JD 7000) or 2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer) 2967-007 U.N.T. Residue Manager kit 2967-035 Titan Universal or 2967-115 (for use with 2960-015) or 2967-042 Titan Residue Manager for JD Coulters (7200 & newer) or 2967-043 Titan Screw adjust residue manager for JD Coulters (7200 and newer) or 2967-051 R.M. for use with JD Coulters (7200 & newer)	Choice of blades	4	4	6	6	8	8	12
<b>1 COMBO UNIT MOUNTED AND 1 LIQUID FERT.</b>	2995-010-L and 2995-010-R^		2 and 2	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
	2970-135 (76" front bar mount kit)		1	1	1		N.A.	2	2
	2970-136 (100" front bar mount kit)					1	1		

# JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER JD 1750 & 7200 STANDARD PLANTER

Equipped with John Deere 2.5" fert. bar

Model No.'s to Order for each planter configuration		Quantity to order for each planter						
		4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
<b>1 COMBO UNIT MOUNTED</b>	2960-033 Coulter w/ U.N.T. bracket (JD 7000)	4	4	6	6	8	8	12
<b>AND 1 LIQUID FERT CONT.</b>	or 2960-034 Coulter w/ U.N.T. bracket (JD 7200 and newer) or 2960-015 (coulter with spring)** Choice of blades							
	2967-007 U.N.T. Residue Manager kit							
<b>1 COMBO UNIT MOUNTED</b>	or 2967-035 Titan Universal							
<b>AND 1 JD LIQ. FERT.</b>	or 2967-042 Titan Residue Manager for JD Coulter	4	4	6	6	8	8	12
	or 2967-043 Titan Screw adjust residue manager for JD coulter (7200 and newer)							
	or 2967-051 R.M. for use with JD Coulter (7200 & newer)							
	or 2967-115 (for use with 2960-015)							
	2970-135 (76" front bar mount kit) Required	1	1	1			2	2
	2970-135 (100" front bar mount kit) Required				1	1		
	2960-015 (coulter with spring)** Choice of blades	4	4	6	6	8	8	12
	or 2960-033 Coulter w/ U.N.T. bracket (JD 7000)							
	or 2960-034 Coulter w/ U.N.T. bracket (JD 7200 and newer)							
<b>1 COMBO UNIT MOUNTED</b>	2967-007 U.N.T. Residue Manager kit							
	or 2967-035 Titan Universal							
<b>AND 1 JD DRY FERT.</b>	or 2967-042 Titan Residue Manager for JD Coulter (7200 & newer)	4	4	6	6	8	8	12
	or 2967-043 Titan Screw adjust residue manager for JD Coulter (7200 and newer)							
	or 2967-051 R.M. for use with JD Coulter (7200 & newer)							
	or 2967-115 (for use with 2960-015)							
	2975-188 (set back for JD 7000) Required	4	4	6	6	8	8	12
	2975-189 (set back for JD 1700 & 7200) Required	4	4	6	6	8	8	12

\*\* See the price book for blade choices.

\*\*\* If Frame Mounted Coulters and Fertilizer Coulters are mounted together on the JD 2 1/2" fert. bar and the frame mounted coulter is in the center of the row, Fertilizer coulters can only be mounted 4" or farther from the row.

\*\*\*\* 5" offset shanks are replacements for the straight shanks which are standard on the coulters. Order the part number listed and restock the same quantity of straight shank.

\*\*\*\*\* Required for two inside rows.

^ Fertilizer placements available are: L & R=left & right standard rear knife, LS & RS=left & right side profile knife

LIHD & RIHD= left & right hand injection (tips not included). See Glossary for illustrations.

NOTE - YETTER UNIT MOUNTED ATTACHMENTS ARE NOT AVAILABLE ON PLANTERS EQUIPPED WITH JD FRAME MOUNTED HEAVY DUTY COULTERS - sufficient clearance is not possible.

# JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER JD 1750/ 7200 STANDARD PLANTER

Equipped with JD 2.5" fert. bar and JD Frame Mounted Heavy Duty Coulters

Model No.'s to Order for each planter configuration			Quantity to order for each planter						
			4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
<b>LIQUID FERT. COULTERS ONLY</b>	2995-010-L and 2995-010-R <sup>^</sup>	Choose either model	2 and 2	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
	2970-135 (76" front bar mount kit)	Required	1	1	1			2	2
	2970-136 (100" front bar mount kit)	Required				1	1		
<b>DRY FERT. COULTERS ONLY</b>	2995-030-L and 2995-030-R <sup>^</sup>	Choose either model	2 and 2	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
	2970-135 (76" front bar mount kit)	Required	1	1	1			2	2
	2970-136 (100" front bar mount kit)	Required				1	1		
<b>1 FRAME MOUNTED COULTERS ONLY for 2.5" fert. bar</b>	2999-106 (basic coulters ass'y 2.5 sq)**	Choice of blade	4	4	6	6	N.A.	8	N.A.
	6005-104 (reinforcing bracket for 7 x 7)	Choose to fit	2	2	4	4	N.A.	4	N.A.
	6005-105 (reinforcing bracket for 5 x 7)	planter frame							
<b>DOUBLE COULTERS</b>									
<b>2 LIQUID FERT. COULTERS</b>	2995-035-L (3" offset) <sup>^</sup>		4	4	6	6	8	8	12
	2995-035-R (3" offset) <sup>^</sup>		4	4	6	6	8	8	12
	2970-135 (76" front bar mount kit)	Required	1	1	1			2	2
	2970-136 (100" front bar mount kit)	Required				1	1		
<b>1 DRY / 1 LIQUID FERT. COULTERS</b>	2995-025-L (3" offset) <sup>^</sup>		4	4	6	6	8	8	12
	2995-035-R (3" offset) <sup>^</sup>		4	4	6	6	8	8	12
	2970-135 (76" front bar mount kit)	Required	1	1	1			2	2
	2970-136 (100" front bar mount kit)	Required				1	1		
<b>1 NO-TILL / 1 FERT.</b>	2999-135 (basic coulters ass'y 2.5"sq.3"offset)**	See below	4	4	6	6	8	8	12
	2995-025-L (dry fert 3" offset) <sup>***^</sup>	Choose	4	4	6	6	8	8	12
	or 2995-035-L (liquid fert. 3" offset) <sup>****^</sup>	Either model							
	2970-135 (76" front bar mount kit)	Required	1	1	1			2	2
<b>2 NO-TILL COULTERS</b>	2970-136 (100" front bar mount kit)	Required				1	1		
	2999-135 (basic coulters ass'y 2.5"sq.3"offset)**	See below	8	8	12	12	16	16	24
	2970-135 (76" front bar mount kit)	Required	1	1	1			2	2
	2970-136 (100" front bar mount kit)	Required				1	1		

\*\* See the price book for blade choices.

\*\*\* If Frame Mounted Coulters and Fertilizer Coulters are mounted together on the JD 2 1/2" fert. bar and the frame mounted coulters is in the center of the row, Fertilizer coulters can only be mounted 4" or farther from the row.

^ Fertilizer placements available are: L & R=left & right standard rear knife, LS & RS=left & right side profile knife

LIHD & RIHD= left & right hand injection (tips not included). See Glossary for illustrations.

NOTE - YETTER UNIT MOUNTED ATTACHMENTS ARE NOT AVAILABLE ON PLANTERS EQUIPPED WITH JD FRAME MOUNTED HEAVY DUTY COULTERS - sufficient clearance is not possible.