

CASE/IH 800-900/950-955/1200-1220 -1225 NEW HOLLAND SP480 RIGID TRAILING PLANTER

Equipped with 2" x 6" Fertilizer Frame and Tanks

4 Row Narrow / Wide, 6 Row Narrow, 6 Row Wide, 8 Row Narrow, 8 Row Wide, and 12 Row Narrow

<i>Model No.'s to Order for each planter configuration</i>		<i>Quantity to order for each planter</i>					
		4R N/W	6 R N	6 R W	8 R N	8 R W	12 R N
UNIT MOUNT							
LIQUID FERT COULTER	2968-030 Fertilizer injection kit	4	6	6	8	8	12
LIQUID FERT. COULTER FRAME MOUNTED							
	2995-065-L/R^ order 2990-155 & 3010-303 and choice of blade	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
DRY FERT. COULTER FRAME MOUNTED							
	2995-075-L/R order 2990-154 & 3010-303 and choice of blade	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
	2970-044 (67" extension bar kit) Required	1		2	2	2	
	2970-063 (67" extension bar kit) Required		1				2
2960 UNIT MOUNTED CONSERVATION COULTERS ONLY							
	2960-020-MW (unit coulter only with 25 wave blade)	4	6	6	8	8	12
CLEAN UP CREW ONLY							
	2940-003 Pneumatic assembly or 2967-014A Short / Narrow UNT or 2967-036 Narrow row residue manager or 2967-053 Screw Adjust residue manager or 2967-097A Short titan residue manager or 2967-106 (13" steel wheel)***&	4	6***	6	8	8	12
COMBO ATTACHMENT							
	w/ 2967-008 Titan (for use with 2960-020 coulter) Optional	4	6	6	8	8	12
FRAME MOUNTED COULTERS ONLY							
	2999-101 (basic coulter ass'y)** Order 2990-155, 3010-303 & blade	4	6	6	8	8	12

** See the price book for blade choices.

*** 900/950/955/1200 6 R N (30") with Residue Managers (2967-106) will crash on drive chains. Call Yetter service for 3" D-bolts.

& First year production of 800 planter requires Case/IH unit mount plate or modification of the planter unit.

NOTE - AMPLE CLEARANCE IS AVAILABLE TO USE PLANTER UNIT MOUNTED ATTACHMENTS WITH YETTER FERTILIZER COULTERS.

NOTE - IF FERTILIZER FRAME OR OPTIONAL FRAME MOUNTED COULTERS ARE USED IN CONJUNCTION AND THEY ARE MOUNTED IN THE CENTER OF THE ROW, FERTILIZER COULTERS CAN ONLY BE MOUNTED 4" OR FARTHER FROM THE ROW.

CASE/IH 800-900/950-955/1200-1220-1225 NEW HOLLAND SP480 RIGID TRAILING PLANTER

Equipped with 2" x 6" Fertilizer Frame and Tanks

4 Row Narrow / Wide, 6 Row Narrow, 6 Row Wide, 8 Row Narrow, 8 Row Wide, and 12 Row Narrow

Model No.'s to Order for each planter configuration		Quantity to order for each planter					
		4R N/W	6 R N	6 R W	8 R N	8 R W	12 R N
2 LIQUID FERT.	2995-065-L ^ order 2990-155 & 3010-303 and choice of blade	4	6	N.A.	8	8	12
	COULTERS						
1 DRY / 1 LIQUID FERT. COULTERS	2995-065-R ^ order 2990-154 & 3010-303 and choice of blade	4	6	N.A.	8	8	12
	2970-044 (extension bar kit) Required	1		N.A.	2	2	
	2970-063 (extension bar kit) Required		1	N.A.			2
	2995-075-L ^ order 2990-154 & 3010-303 and choice of blade	4	6	N.A.	8	8	12
1 NO-TILL / 1 FERT. COULTERS	2995-065-R ^ order 2990-155 & 3010-303 and choice of blade	4	6	N.A.	8	8	12
	2970-044 (extension bar kit) Required	1		N.A.	2	2	
	2970-063 (extension bar kit) Required		1	N.A.			2
	2999-101 (basic coulter ass'y)** Choice of blade Order 2990-155, 3010-303 & blade	4	6	N.A.	8	8	12
2 NO-TILL COULTERS	2995-075-L order 2990-154 & 3010-303 and choice of blade Choose	4	6	N.A.	8	8	12
	or 2995-065-L ^ either model Order 2990-154 & 3010-303 and choice of blade	4	6		8	8	12
	2970-044 (extension bar kit) Required	1		N.A.	2	2	
	2970-063 (extension bar kit) Required		1	N.A.			2
	2999-101 (basic coulter ass'y)** Choice of blade Order 2990-155, 3010-303 & blade	4	6	N.A.	8	8	12
1 LIQUID FERT.	2995-065-L/R ^ order 2990-155 & 3010-303 and choice of blade	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
	1 COMBO UNIT						
	2960-020-MW (unit coulter only with 25 wave blade)	4	6	6	8	8	12
	w/ 2967-008 Titan (for use with 2960-020 coulter) Optional	4	6	6	8	8	12

** See the price book for blade choices.

*** 900/950/955/1200 6 R N with Residue Managers (2967-106) will crash on drive chains. Call Yetter service for 3" D-bolts.

& First year production of 800 planter requires Case/IH unit mount plate or modification of the planter unit.

NOTE - AMPLE CLEARANCE IS AVAILABLE TO USE PLANTER UNIT MOUNTED ATTACHMENTS WITH YETTER FERTILIZER COULTERS.

NOTE - IF FERTILIZER FRAME OR OPTIONAL FRAME MOUNTED COULTERS ARE USED IN CONJUNCTION AND THEY ARE MOUNTED IN THE CENTER OF THE ROW, FERTILIZER COULTERS CAN ONLY BE MOUNTED 4" OR FARTHER FROM THE ROW.

CASE/IH 800-900/950-955/1200-1220 -1225 NEW HOLLAND SP480 RIGID TRAILING PLANTER

Equipped with no options

4 Row Narrow / Wide, 6 Row Narrow, 6 Row Wide, 8 Row Narrow, 8 Row Wide, and 12 Row Narrow

<i>Model No.'s to Order for each planter configuration</i>		<i>Quantity to order for each planter</i>								
		4R N/W	6 R N	6 R W	8 R N	8 R W	12 R N			
UNIT MOUNT FERT COULTERS	2968-030 Fertilizer injection kit	4 or	6 or	6 or	8 or	8 or	12 or			
LIQUID FERT. COULTER FRAME MOUNTED	2995-017 or 2995-065-L/R^ order 2990-154 & 3010-303 and choice of blade 2970-179 (front bar mount kit)***	4 or 2 and 2	6 or 3 and 3	6 or 3 and 3	8 or 4 and 4	8 or 4 and 4	12 or 6 and 6			
DRY FERT. COULTER FRAME MOUNTED	NOT AVAILABLE									
2960 UNIT MOUNTED CONSERVATION COULTERS ONLY	2960-020-MW (unit coulters only with 25 wave blade)			Choice of one style	4	6	6	8	8	12
CLEAN UP CREW	2940-003 Pneumatic assembly or 2967-014A Short / Narrow UNT or 2967-036 Narrow row residue manager or 2967-053 Screw Adjust residue manager or 2967-097A Short Titan residue manager or 2967-106 (13" steel wheel)*&	4	6*	6	8	8	12			
Combination Attachment	w/ 2967-008 Titan (for use with 2960-020 coulters)			Optional	4	6	6	8	8	12
FRAME MOUNTED COULTERS ONLY	2999-101 (basic coulters ass'y)** Order 2990-154, 3010-303 & blade 2970-179 (front bar mount kit)***			Choice of blade Required	4 1	6 1	6 2	8 2	8 2	12 2
DOUBLE COULTERS										
2 LIQUID FERT. COULTERS	2995-065-L^ order 2990-154 & 3011-302 and choice of blade 2995-065-R^ order 2990-154 & 3010-303 and choice of blade 2970-179 (front bar mount kit)***	4 4 1	6 6 1	N.A. N.A. N.A.	8 8 2	8 8 2	12 12 2			
1 NO-TILL / 1 FERT. COULTERS	2999-101 (basic coulters ass'y)** Order 2990-154, 3011-302 & blade 2995-065-L^ order 2990-154 & 3010-303 and choice of blade 2970-179 (front bar mount kit)***			Choice of blade	4 4 1	6 6 1	N.A. N.A. N.A.	8 8 2	8 8 2	12 12 2
2 NO-TILL COULTERS	2999-101 (basic coulters ass'y)** Order 2990-154, 3010-303/3011-302 & blade 2970-179 (front bar mount kit)***			Choice of blade	8 1	12 1	N.A. N.A.	16 2	16 2	24 2
1 LIQUID FERT. AND 1 COMBO UNIT	2995-065-L/R^ order 2990-154 & 3010-303 and choice of blade 2970-179 (front bar mount kit)*** 2960-020-MW (unit coulters only with 25 wave blade) w/ 2967-008 (for use with 2960-020 coulters)	2 and 2 1 4	3 and 3 1 6	3 and 3 2 6	4 and 4 2 8	4 and 4 2 8	6 and 6 2 12			

* 900/950/955/1200 6 R N (30") with Residue Managers (2967-106) will crash on drive chains. Call Yetter service dept for 3" D-bolts.

** See the price book for blade choices.

*** Front bar mount kit may require some cutting

& First year production of 800 planter requires Case/IH unit mount plate or modification of the planter unit.

NOTE - AMPLE CLEARANCE IS AVAILABLE TO USE PLANTER UNIT MOUNTED ATTACHMENTS WITH YETTER FERTILIZER COULTERS.

NOTE - IF FERTILIZER FRAME OR OPTIONAL FRAME MOUNTED COULTERS ARE USED IN CONJUNCTION AND THEY ARE MOUNTED IN THE CENTER OF THE ROW, FERTILIZER COULTERS CAN ONLY BE MOUNTED 4" OR FARTHER FROM THE ROW.