

JD 1750 & 1755 STANDARD PLANTER
JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER
JD 7200 STANDARD PLANTER

Equipped with John Deere 2.5" fert. bar and no other options.

Model No.'s to Order for each planter configuration

		Quantity to order for each planter						
		4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
LIQUID FERT. COULTER FRAME MOUNTED	2995-065-L/R <i>order 2990-154 & 2990-318 and choice of blade</i> 2995-065-LIHD/RIHD same as above	2 & 2	2 & 2	3 & 3	3 & 3	4 & 4	4 & 4	6 & 6
DRY FERT. COULTER FRAME MOUNT	2995-075-L/R <i>order 2990-154 & 2990-318 and choice of blade</i> 2970-135 (76" front bar mount kit) Required	2 & 2	2 & 2	3 & 3	N.A.	N.A.	4 & 4	6 & 6
Unit Mounted Liquid Fertilizer Coulters	2959-003 (2" offset fert. injection) w/ 2967-180A Residue Manager for 2959-003 Optional or 2962-003A and 2962-004A RUMDDFO w/ 2962-005 (Residue Manager for 2962-003/-004) Optional or 2968-020A-R-LB/-L-LB Row Unit mount fits 1700, 7200 & 7300 or 2968-021A-R-LB/-L-LB Row Unit mount fits 7000 & 7100 & 2968-132 10" wheel or -133 11" wheel assembly	4	4	6	6	8	8	12
2960 UNIT MOUNTED CONSERVATION COULTERS ONLY	2960-033 Coulters w/ U.N.T. bracket (JD 7000)** or 2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer)** or 2960-127 (coulters only)** 2960-126 (spring kit only)	4	4	6	6	8	8	12
CLEAN UP CREW ONLY	2940-001A Pneumatic assembly or 2967-013A Short Narrow U.N.T. or 2967-028 Universal unit mounted residue manager or 2967-029A Short U.N.T. or 2967-048 Narrow row unit mounted Residue Manager or 2967-052 Screw adjust residue manager (JD 7200 and newer) or 2967-054 Narrow row screw adjust R. M. (JD 7200 and newer) or 2967-056 Screw adjust residue manager (JD 7000) or 2967-057 Narrow row screw adjust residue manager (JD 7000) or 2967-081 R.M. attachment for JD tool hanger (7200 & newer)	4	4	6	6	8	8	12
Combo Attachment	2967-007 U.N.T. residue manager kit or 2967-035 Titan universal or 2967-042A Titan Residue Manager for JD Coulters (7200 & newer) or 2967-115 R.M. for use with 2960-015 coulters 2967-070 (Quick adjust kit) Optional	4	4	6	6	8	8	12

** Blade Choices refer to price book.

JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER JD 1750, 1755 & 7200 STANDARD PLANTER

Equipped with John Deere 2.5" fert. bar

Equipped with John Deere 2.5" fert. bar and no other options.

Model No.'s to Order for each planter configuration

			Quantity to order for each planter						
			4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
FRAME MOUNTED COULTERS ONLY for 2.5" fert. bar	2999-101 (basic coulters ass'y)** Order 2990-154, 3010-303 & blade	Choice of blade	4	4	6	N.A.	N.A.	8	N.A.
Double Coulters									
2 LIQUID FERTILIZER COULTERS	2995-065-L/R ^ order 2990-154 & 2990-318 and choice of blade		4 and 4	4 and 4	6 and 6	N.A.	N.A.	8 and 8	N.A.
	2970-135 (76" front bar mount kit)	Required	1	1	1	N.A.	N.A.	2	N.A.
1 DRY/ 1 LIQUID FERTILIZER COULTERS	2995-075-L^ order 2990-154 & 2990-318 and choice of blade.		4	4	6	N.A.	N.A.	2	N.A.
	2995-065-R^ order 2990-154 & 2990-318 and choice of blade.		4	4	6	N.A.	N.A.	8	N.A.
	3011-302 (5" offset shank)****	Required****				N.A.	N.A.	2	N.A.
	2970-135 (76" front bar mount kit)	Required	1	1	1	N.A.	N.A.	2	N.A.
1 FRAME MOUNTED NO-TILL COULTER	2999-101 (basic coulters ass'y)** Order 2990-154, 3010-303 & blade	Choice of blade	4	4	6	N.A.	N.A.	6	N.A.
AND	2999-101 (basic coulters ass'y)** Order 2990-154, 3011-302 & blade	Choice of blade				N.A.	N.A.	2	N.A.
1 FERTILIZER COULTER	2995-075-L**** order 2990-154 & 2990-318 and choice of blade		4	4	6	N.A.	N.A.	8	N.A.
or	2995-065-L**** order 2990-154 & 2990-318 and choice of blade								
	2970-135 (76" front bar mount kit)	Required	1	1	1	N.A.	N.A.	2	N.A.
2 FRAME MOUNTED NO-TILL COULTERS	2999-101 (basic coulters ass'y)** Order 2990-154, 3010-303 & blade	Choice of blade	8	8	12	N.A.	N.A.	14	N.A.
	2999-101 (basic coulters ass'y)** Order 2990-154, 3011-302 & blade	Choice of blade				N.A.	N.A.	2	N.A.
	2970-135 (76" front bar mount kit)	Required	1	1	1	N.A.	N.A.	2	N.A.
	2960-127 Unit Coulters **		4	4	6	N.A.	N.A.	8	12
1 PLANTER UNIT MOUNTED COULTER AND 1 LIQUID/DRY FERT.	or 2960-033 Coulters w/ U.N.T. bracket (JD 7000)**								
	or 2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer) **								
	2995-065-L/R^ order 2990-154 & 2990-318 and choice of blade		2 and 2	2 and 2	3 and 3	N.A.	N.A.	4 and 4	6 and 6
or	2995-075-L/R Dry^ order 2990-154 & 2990-318 and choice of blade		2 and 2	2 and 2	3 and 3	N.A.	N.A.	4 and 4	6 and 6
	2970-135 (76" front bar mount kit)	Required	1	1	1	N.A.	N.A.	2	2
	2960-127 Unit Coulters **								
	or 2960-033 Coulters w/ U.N.T. bracket (JD 7000)**								
	or 2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer)**								
	2967-007 U.N.T. Residue Manager kit								
1 COMBO UNIT MOUNTED AND 1 LIQUID FERT.	or 2967-035 Titan Universal								
	or 2967-115 (for use with 2960-015)		4	4	6	N.A.	N.A.	8	12
	or 2967-042 Titan Residue Manager for JD Coulters (7200 & newer)								
	2995-065-L/R^ order 2990-154 & 2990-318 plus blade		2 and 2	2 and 2	3 and 3	N.A.	N.A.	4 and 4	6 and 6
	2970-135 (76" front bar mount kit)		1	1	1	N.A.	N.A.	2	2

** See the price book for blade choices.

*** If Frame Mounted Coulters and Fertilizer Coulters are mounted together on the JD 2 1/2" fert. bar and the frame mounted coulters is in the center of the row, Fertilizer coulters can only be mounted 4" or farther from the row.

JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER JD 1750, 1755 & 7200 STANDARD PLANTER

Equipped with John Deere 2.5" fert. bar

Model No.'s to Order for each planter configuration		Quantity to order for each planter						
		4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
1 COMBO UNIT MOUNTED AND 1 JD LIQ. FERT.	2967-007 U.N.T. Residue Manager kit or 2967-035 Titan Universal or 2967-042A Titan Residue Manager for JD Coulters or 2967-115 (for use with 2960-127) 2970-135 (76" front bar mount kit)	4	4	6	N.A.	N.A.	8	12
	Required	1	1	1	N.A.	N.A.	2	2
	Choice of blades	4	4	6	6	8	8	12
1 COMBO UNIT MOUNTED AND 1 JD DRY FERT.	2960-127 Unit Coulters ** or 2960-033 Coulters w/ U.N.T. bracket (JD 7000)** or 2960-034 Coulters w/ U.N.T. bracket (JD 7200 and newer)**	4	4	6	6	8	8	12
	2967-007 U.N.T. Residue Manager kit or 2967-035 Titan Universal or 2967-042A Titan Residue Manager for JD Coulters (7200 & newer) or 2967-115 (for use with 2960-127)	4	4	6	6	8	8	12
	2975-188 (set back for JD 7000)	4	4	6	6	8	8	12
	2975-189 (set back for JD 1700 & 7200)	4	4	6	6	8	8	12

** See the price book for blade choices.

*** If Frame Mounted Coulters and Fertilizer Coulters are mounted together on the JD 2 1/2" fert. bar and the frame mounted coulters is in the center of the row, Fertilizer coulters can only be mounted 4" or farther from the row.

NOTE - YETTER UNIT MOUNTED ATTACHMENTS ARE NOT AVAILABLE ON PLANTERS EQUIPPED WITH JD FRAME MOUNTED HEAVY DUTY COULTERS - sufficient clearance is not possible.

JD 7000 CONSERVATION & CONVENTIONAL DRAWN PLANTER JD 1750, 1755 & 7200 STANDARD PLANTER

Equipped with JD 2.5" fert. bar and JD Frame Mounted Heavy Duty Coulters

Model No.'s to Order for each planter configuration		Quantity to order for each planter						
		4 R N	4 R W	6 R N	6 R W	8 R N	8 R W	12 R N
LIQUID FERT. COULTER FRAME MOUNTED	2995-065-L/R <i>order 2990-154 & 2990-318 and choice of blade</i>	2 and 2	2 and 2	3 and 3	N.A.	N.A.	4 and 4	6 and 6
	2970-135 (76" front bar mount kit) Required	1	1	1	N.A.	N.A.	2	2
DRY FERT. COULTER FRAME MOUNTED	2995-075-L/R <i>order 2990-154 & 2990-318 and choice of blade</i>	2 and 2	2 and 2	3 and 3	N.A.	N.A.	4 and 4	6 and 6
	2970-135 (76" front bar mount kit) Required	1	1	1	N.A.	N.A.	2	2
1 FRAME MOUNTED COULTERS ONLY for 2.5" fert. bar	2999-101 (basic coulters ass'y)** Order 2990-154, 3010-303 & blade	4	4	6	N.A.	N.A.	8	N.A.
DOUBLE COULTERS 2 LIQUID FERT. COULTERS	2995-065-L	4	4	6	N.A.	N.A.	8	12
	2995-065-R <i>order 2990-154 & 2990-208 and choice of blade</i>	4	4	6	N.A.	N.A.	8	12
1 DRY / 1 LIQUID FERT. COULTERS	2970-135 (76" front bar mount kit) Required	1	1	1	N.A.	N.A.	2	2
	2995-075-L^ <i>order 2990-154 & 2990-208 and choice of blade</i>	4	4	6	N.A.	N.A.	8	12
	2995-065-R^ <i>order 2990-154 & 2990-208 and choice of blade</i>	4	4	6	N.A.	N.A.	8	12
1 NO-TILL / 1 FERT.	2970-135 (76" front bar mount kit) Required	1	1	1	N.A.	N.A.	2	2
	2999-101 (basic coulters ass'y)** Order 2990-154, 2990-208 & blade	4	4	6	N.A.	N.A.	8	12
	2995-075-L (dry fert.)***^ <i>order 2990-154 & 2990-208 and choice of blade</i>	4	4	6	N.A.	N.A.	8	12
2 NO-TILL COULTERS	or 2995-065-R (liquid fert.)***^ <i>order 2990-154 & 2990-208 and choice of blade</i>							
	2970-135 (76" front bar mount kit) Required	1	1	1	N.A.	N.A.	2	2
	2999-101 (basic coulters ass'y)** Order 2990-154, 2990-208 & blade	8	8	12	N.A.	N.A.	16	24
	2970-135 (76" front bar mount kit) Required	1	1	1	N.A.	N.A.	2	2

** See the price book for blade choices.

*** If Frame Mounted Coulters and Fertilizer Coulters are mounted together on the JD 2 1/2" fert. bar and the frame mounted coulters is in the center of the row, Fertilizer coulters can only be mounted 4" or farther from the row.

NOTE - YETTER UNIT MOUNTED ATTACHMENTS ARE NOT AVAILABLE ON PLANTERS EQUIPPED WITH JD FRAME MOUNTED HEAVY DUTY COULTERS - sufficient clearance is not possible.