

CASE/IH 800-900/950-955/1200-1220 -1225 NEW HOLLAND SP480 RIGID TRAILING PLANTER

Equipped with 2" x 6" Fertilizer Frame and Tanks

4 Row Narrow / Wide, 6 Row Narrow, 6 Row Wide, 8 Row Narrow, 8 Row Wide, and 12 Row Narrow

Model No.'s to Order for each planter configuration

			<i>Quantity to order for each planter</i>						
			4R N/W	6 R N	6 R W	8 R N	8 R W	12 R N	
UNIT MOUNT									
LIQUID FERT COULTER	2968-030 Fertilizer injection kit		4	6	6	8	8	12	
LIQUID FERT. COULTER FRAME MOUNTED									
	2995-065-L/R^ order 2990-155 & 3010-303 and choice of blade		2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6	
2960 UNIT MOUNTED CONSERVATION COULTERS ONLY									
	2960-020-MW (unit coulters only with 25 wave blade)		4	6	6	8	8	12	
CLEAN UP CREW ONLY									
	2940-003B Pneumatic assembly or 2967-014B Short / Narrow UNT or 2967-053A Screw Adjust residue manager or 2967-097B Short titan residue manager or 2967-106A (13" steel wheel)***&		4	6***	6	8	8	12	
COMBO ATTACHMENT	w/ 2967-008A Titan (for use with 2960-020 coulters)	Optional	4	6	6	8	8	12	

** See the price book for blade choices.

*** 900/950/955/1200 6 R N (30") with Residue Managers (2967-106A) will crash on drive chains. Call Yetter service for 3" D-bolts.

& First year production of 800 planter requires Case/IH unit mount plate or modification of the planter unit.

NOTE - AMPLE CLEARANCE IS AVAILABLE TO USE PLANTER UNIT MOUNTED ATTACHMENTS WITH YETTER FERTILIZER COULTERS.

CASE/IH 800-900/950-955/1200-1220-1225 NEW HOLLAND SP480 RIGID TRAILING PLANTER

Equipped with 2" x 6" Fertilizer Frame and Tanks

4 Row Narrow / Wide, 6 Row Narrow, 6 Row Wide, 8 Row Narrow, 8 Row Wide, and 12 Row Narrow

<i>Model No.'s to Order for each planter configuration</i>		<i>Quantity to order for each planter</i>					
		4R N/W	6 R N	6 R W	8 R N	8 R W	12 R N
1 LIQUID FERT.	2995-065-L/R^ <i>order 2990-155 & 3010-303 and choice of blade</i>	2 and 2	3 and 3	3 and 3	4 and 4	4 and 4	6 and 6
1 COMBO UNIT	2960-020-MW (unit coulter only with 25 wave blade)	4	6	6	8	8	12
	w/ 2967-008A Titan (for use with 2960-020 coulter) Optional	4	6	6	8	8	12

** See the price book for blade choices.

*** 900/950/955/1200 6 R N with Residue Managers (2967-106A) will crash on drive chains. Call Yetter service for 3" D-bolts.

& First year production of 800 planter requires Case/IH unit mount plate or modification of the planter unit.

NOTE - AMPLE CLEARANCE IS AVAILABLE TO USE PLANTER UNIT MOUNTED ATTACHMENTS WITH YETTER FERTILIZER COULTERS.

CASE/IH 800-900/950-955/1200-1220 -1225 NEW HOLLAND SP480 RIGID TRAILING PLANTER

Equipped with no options

4 Row Narrow / Wide, 6 Row Narrow, 6 Row Wide, 8 Row Narrow, 8 Row Wide, and 12 Row Narrow

<i>Model No.'s to Order for each planter configuration</i>		<i>Quantity to order for each planter</i>						
		4 R N/W	6 R N	6 R W	8 R N	8 R W	12 R N	
UNIT MOUNT FERT COULTERS	2968-030 Fertilizer injection kit	4 or	6 or	6 or	8 or	8 or	12 or	
DRY FERT. COULTER FRAME MOUNTED	NOT AVAILABLE							
2960 UNIT MOUNTED CONSERVATION COULTERS ONLY	2960-020-MW (unit coulters only with 25 wave blade)	Choice of one style	4	6	6	8	8	12
CLEAN UP CREW	2940-003B Pneumatic assembly or 2967-014B Short / Narrow UNT or 2967-053A Screw Adjust residue manager or 2967-097B Short Titan residue manager or 2967-106A (13" steel wheel)*&		4	6*	6	8	8	12
Combination Attachment	w/ 2967-008A Titan (for use with 2960-020 coulters)	Optional	4	6	6	8	8	12

* 900/950/955/1200 6 R N (30") with Residue Managers (2967-106A) will crash on drive chains. Call Yetter service dept for 3" D-bolts.

** See the price book for blade choices.

*** Front bar mount kit may require some cutting

& First year production of 800 planter requires Case/IH unit mount plate or modification of the planter unit.

NOTE - AMPLE CLEARANCE IS AVAILABLE TO USE PLANTER UNIT MOUNTED ATTACHMENTS WITH YETTER FERTILIZER COULTERS.