

# 2984 STRIP FRESHENERS



SINCE 1930

Yetter 2984 Strip Fresheners address common challenges strip-tillers face, like unfavorable field conditions, weather, and time. They offer the perfect amount of controlled tillage to create the ideal seedbed, with the option of placing liquid or dry fertilizer in the strips.

The 2984 Strip Freshener Cab Control (CC) adds from-the-cab control for quick adjustments to row cleaners, rolling baskets, and row-unit down pressure.

## 2984 Strip Freshener CC



VIEW MORE PHOTOS OF THE 2984 STRIP FRESHENER CAB CONTROL (CC)

## 2984 Strip Freshener



VIEW MORE PHOTOS OF THE 2984 STRIP FRESHENER

## REAL WORLD SOLUTIONS FOR REAL FARMERS

“We wanted to switch to strip-till, but we were concerned about how well it would work on our 20” rows, especially for our corn-on-corn acres. The Yetter team helped us understand and create a complete strip-till system. We custom-built a strip-till toolbar using Yetter 2984 Strip Freshener CC row units—it saved us money and fit our operation.

“Our 325 horsepower tractor and 24-row strip-till bar have allowed us to drastically reduce our time, labor, and costs of putting in the crop, while achieving better fertilizer placement and making a better seedbed than we did with our previous system.

“The versatility of the 2984 Strip Freshener CC allows us to run whenever it works, and the in-cab adjustment allows us to keep rolling while maintaining high performance. The speed, performance, and versatility of the 2984 Strip Freshener CC has exceeded our expectations.”

Kale Carlisle, IL



## WATCH THE STRIP FRESHENER IN ACTION

2984 Strip Freshener

Rolling basket conditions strip for consistent seedbed

3 blades mix soil for ideal seedbed

Optional liquid or dry fertilizer placement


Scan the QR code to watch the video on YouTube.

Scan the QR code to watch the video on YouTube.

# THE STRIP FRESHENER DIFFERENCE: HOW IT WORKS

The versatile Strip Freshener can be used in the spring or fall to freshen existing strips or create new strips in untilled soil. The Strip Freshener is also equipped to clear residue and precisely place fertilizer—all in one pass.

- 1. Clearing residue:** Floating row cleaners attach to the front of the 2984 Strip Freshener, clearing residue out of the planting zone before tillage. This prevents hairpinning and residue being buried in the planting zone, which can lead to an inconsistent seedbed.
- 2. Building or reviving strips:** The Strip Freshener operates at 6–10 mph and has a depth adjustment range of 1 1/2"–4". Three blades mix soil while rolling baskets condition the 10" wide strips, creating a consistent seedbed to plant into. Cleared of residue, the strips can easily warm up and dry out before planting.
- 3. Placing fertilizer:** Add fertilizer application equipment to place liquid or dry fertilizer in the new or revived strips.



## THE STRIP FRESHENER LEADS TO MAXIMIZED EMERGENCE

When the Strip Freshener prepares strips, emergence is uniform, maximizing your seed investment and leading to higher yield potential.

Without the Strip Freshener, the impact of cooler soil temps and inconsistent seed placement on emergence is much more prevalent.

## YETTER OFFERS A FULL LINEUP OF STRIP-TILL PRODUCTS



Yetter has been designing products for strip-till for more than 20 years. In this in-depth video, we explore the four models we offer to fit the needs of different strip-till operations.

### Video contents:

- 00:08 - Explanation of strip-till system
- 02:30 - Yetter strip-till tools: example strips in field
- 05:04 - 2984 Maverick™ HR Plus® unit overview
- 10:19 - 2984 Strip Freshener Cab Control (CC) overview
- 18:32 - 10,000 Magnum™ Opener for Fertilizer Application overview
- 20:21 - Building a custom machine for your strip-till system

# THE STRIP FRESHENER DELIVERS CONTROLLED TILLAGE FOR THE IDEAL SEEDBED



READY TO ROLL WITH THE STRIP FRESHENER?

Call toll free: 1-800-447-5777



EMAIL YOUR QUESTIONS: [info@yetterco.com](mailto:info@yetterco.com)  
VIEW OUR FULL PRODUCT LINEUP: [yetterco.com](http://yetterco.com)